

NEOLITH®

FROM

EVOLV

SURFACES

TILE PROGRAM


COLORS




FORMATS, THICKNESSES & FINISHES

Standard finishes are appropriate for interior applications.


Please call your Evolv Surfaces Territory Manager to review outdoor application considerations.



1500x1500mm*
59"x59"



1500x750mm
59"x29.5"



750x750mm
29.5"x29.5"




SATIN

Matte finish that is highly resistant to scratches, heat, and UV Rays. Ideal for commercial applications.



SILK

Matte finish with a thin layer of glaze that provides a subtle shine and nice soft finish, resulting in a surface that is extremely easy to clean.



RIVERWASHED

A rough textured finish that evokes a natural surface.



ASR

Special order ASR anti-slip finish for exterior applications. Inquire for available color options.

*Special size, inquire to place a special order.



TECHNICAL FEATURES



WATERPROOF

Porosity and water absorption of less than .08%. Suitable for freeze-thaw cycle.



HARD AND DURABLE

Scratch-resistant, stain and etch-proof, with no sealing required.



FIRE RESISTANT

All-mineral composition will not burn, produce smoke, or emit toxic substances, VOC's.



EASY TO CLEAN

Can be cleaned with any off-the-shelf cleaning products including bleach or ammonia.



ULTRA HYGIENIC

Will not absorb harmful substances and can be easily cleaned.



UV STABLE

All colors will not fade or change when exposed to UV light.



100% NATURAL

Crafted from premium All-Natural Minerals. No resins/polyster plastic or styrene.



RECYCLABLE

Up to 98% recycled content and 100% recyclable.



LIGHTWEIGHT

6mm thickness weighs only 3.0lbs/sqft.



EVOLV

SURFACES

825 Potter Street, Berkeley, CA
t. 415.767.4600 info@evolvsurfaces.com

18296 Andover Park West, Tukwila, WA
t. 206.550.4872 karyl@evolvsurfaces.com

5530 South Arville Street, Ste. J, Las Vegas, NV
t. 702.527.7526 vegas@evolvsurfaces.com



Designed & produced by TheSize



European Commission Certification




NSF certifies that Neolith is suitable for contact with food.



Member of the US Green Business Council (USGB)



RCR Architects Foundation



Vicente Ferrer Foundation



World Wildlife Fund